Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

*Reports of States and yearly and monthly reports of cities of the United States.*

ALABAMA—*Mobile.*—Month of October, 1899. Estimated population, 37,817. Total number of deaths, 115, including enteric fever, 3, and 10 from phthisis pulmonalis.

CALIFORNIA—*Los Angeles.*—Month of November, 1899. Estimated population, 103,000. Total number of deaths, 127, including diphtheria, 5; enteric fever, 8; scarlet fever, 1, and 18 from phthisis pulmonalis.

CONNECTICUT—*Hartford.*—Month of November, 1899. Estimated population, 76,000. Total number of deaths, 94, including diphtheria, 15; enteric fever, 7; measles, 1; whooping cough, 1, and 7 from phthisis pulmonalis.

GEORGIA—*Columbus.*—Month of November, 1899. Estimated population, 19,303—white, 10,276; colored, 9,027. Total number of deaths, 29—white, 12; colored, 17, including diphtheria, 1; enteric fever, 1, and 2 from phthisis pulmonalis.

ILLINOIS—*Springfield.*—Month of November, 1899. Census population, 24,963. Total number of deaths, 39, including diphtheria, 8; enteric fever, 2, and 1 from phthisis pulmonalis.

INDIANA—*Evansville.*—Month of November, 1899. Estimated population, 70,000. Total number of deaths, 64, including diphtheria, 3; enteric fever, 8; whooping cough, 1, and 12 from phthisis pulmonalis.

MAINE—*Portland.*—Four weeks ended November 25, 1899. Estimated population, 50,000. Total number of deaths, 60, including diphtheria, 1; enteric fever, 2; whooping cough, 3, and 4 from phthisis pulmonalis.

Massachusetts—*Fitchburg.*—Month of November, 1899. Estimated population, 29,438. Total number of deaths, 26, including whooping cough, 1, and 5 from phthisis pulmonalis.

MICHIGAN.—Reports to the State board of health, Lansing, for the week ended December 2, 1899, from 67 observers, indicate that erysipelas, pneumonia, inflammation of bowels, and phthisis pulmonalis increased, and intermittent fever and remittent fever decreased in area of prevalence. Phthisis pulmonalis was reported present at 216, enteric fever at 75, scarlet fever at 70, measles at 36, diphtheria at 28, whooping cough at 25, smallpox at 7, and cerebro-spinal meningitis at 2 places.

*Grand Rapids.*—Month of November, 1899. Estimated population, 90,000. Total number of deaths, 88, including diphtheria, 4; enteric fever, 6; whooping cough, 1, and 6 from phthisis pulmonalis.

MISSOURI—*St. Louis.*—Month of October, 1899. Estimated population, 623,000—white, 587,000; colored, 36,000. Total number of deaths, 719—white, 630; colored, 89; including diphtheria, 28; enteric fever, 15; scarlet fever, 6; whooping cough, 2, and 85 from phthisis pulmonalis.

NORTH CAROLINA.—Reports to the State board of health for the month of October, 1899, from 20 towns having an aggregate population of

146,900—white, 87,351; colored, 59,549, show a total of 186 deaths, including enteric fever, 8, and 24 from phthisis pulmonalis.

*Charlotte.*—Month of November, 1899. Estimated population, 29,000. Total number of deaths, 23. No deaths from contagious diseases.

OHIO—*Columbus.*—Month of October, 1899. Estimated population, 140,000. Total number of deaths, 107, including diphtheria, 1; enteric fever, 4, and 12 from phthisis pulmonalis.

TENNESSEE—*Knoxville.*—Month of November, 1899. Estimated population, 50,000—white, 38,000; colored, 12,000. Total number of deaths, 51—white, 31; colored, 20, including enteric fever, 3, and 8 from phthisis pulmonalis.

TEXAS—*Laredo.*—Month of November, 1899. Estimated population, 14,000. Total number of deaths, 23, including 2 from phthisis pulmonalis.

WISCONSIN—*Superior.*—Month of November, 1899. Estimated population, 35,000. Total number of deaths, 29. No deaths from contagious diseases.

MORTALITY TABLE, CITIES OF THE UNITED STATES.

| Cities. | Week ended. | Population, U. S. Census of 1890. | Total deaths from all causes. | Deaths from— | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Tuberculosis. | Yellow fever. | Smallpox. | Varioloid. | Cholera. | Typhus fever. | Enteric fever. | Scarlet fever. | Diphtheria. | Measles. | Whooping cough. |
| Allegheny, Pa | Dec. 9 | 105,587 | 49 | 5 | | | | | | 7 | | 4 | | |
| Baltimore, Md | do | 434,439 | 159 | 17 | | | | | | 1 | | 9 | | |
| Baton Rouge, La | Nov. 25 | 10,478 | 4 | | | | | | | | | | | |
| Do | Dec. 2 | 10,478 | 1 | | | | | | | | | | | |
| Bennington, Vt | Dec. 9 | 6,391 | 0 | | | | | | | | | | | |
| Binghamton, N. Y | do | 35,005 | 13 | 3 | | | | | | | | | | |
| Boston, Mass | do | 448,477 | 207 | 27 | | | | | | 3 | 4 | 3 | | 1 |
| Butler, Pa | Nov. 14 | 8,734 | 0 | | | | | | | | | | | |
| Do | Dec. 28 | 8,734 | 4 | | | | | | | | | | | |
| Do | Dec. 5 | 8,734 | 3 | | | | | | | | | | | |
| Cambridge, Mass | do | 70,028 | 23 | 3 | | | | | | | | 2 | | |
| Charleston, S. C | Dec. 2 | a 54,955 | b 30 | 4 | | | | | | | | | | 2 |
| Chicago, Ill | Dec. 9 | 1,099,850 | 416 | | | | | | | 8 | 11 | 26 | 1 | |
| Chillicothe, Ohio | Dec. 2 | 11,288 | 7 | | | | | | | | | | | 1 |
| Cincinnati, Ohio | Nov. 24 | 296,908 | | 11 | | | | | | 1 | | 2 | | |
| Cleveland, Ohio | Dec. 2 | 261,353 | 73 | 1 | | | | | | 1 | 1 | 1 | | 1 |
| Do | Dec. 9 | 261,353 | 91 | 3 | | | | | | 1 | 1 | 2 | | |
| Dayton, Ohio | do | 61,220 | 19 | 1 | | | | | | | | | | |
| Dubois, Pa | do | 6,149 | 3 | | | | | | | | | 2 | | |
| Dunkirk, N. Y | Dec. 2 | 9,416 | 3 | | | | | | | | | 2 | | |
| Elmira, N. Y | do | 29,708 | 8 | | | | | | | 1 | | 1 | | |
| Evansville, Ind | Dec. 9 | 50,756 | 15 | 3 | | | | | | 1 | | 1 | | |
| Everett, Mass | Dec. 2 | 11,068 | 4 | 1 | | | | | | | | | | |
| Fitchburg, Mass | do | 22,037 | 4 | 2 | | | | | | | | | | |
| Grand Rapids, Mich | Dec. 9 | 60,278 | 21 | 3 | | | | | | | | 2 | | 1 |
| Greenville, S. C | Dec. 2 | 8,607 | 1 | | | | | | | | | | | |
| Holyoke, Mass | Dec. 9 | 35,637 | 13 | | | | | | | | | 1 | | |
| Honolulu, Hawaii | Nov. 11 | 35,000 | 25 | 3 | | | | | | 1 | | | | |
| Do | Nov. 18 | 35,000 | 23 | 3 | | | | | | 3 | | | | |
| Do | Nov. 25 | 35,000 | 26 | 3 | | | | | | | | | | |
| Jersey City, N. J | Dec. 3 | 163,003 | 66 | 9 | | | | | | | | 1 | | 2 |
| Johnstown, Pa | Dec. 9 | 21,805 | 14 | 2 | | | | | | | | | | |
| Lawrence, Mass | Dec. 2 | 44,654 | 23 | | | | | | | | | 2 | | |
| Los Angeles, Cal | do | 50,395 | 28 | 1 | | | | | | 2 | | 1 | | |
| Louisville, Ky | Dec. 7 | 161,129 | 60 | 6 | | | | | | 3 | 1 | 1 | 1 | |
| Lowell, Mass | Dec. 9 | 77,696 | 31 | 2 | | | | | | 2 | | 1 | | |
| Lynchburg, Va | do | 19,709 | 5 | 1 | | | | | | | | | | |
| McKeesport, Pa | Dec. 2 | 20,741 | 12 | 1 | | | | | | | | | | |

a Estimated population, 65,165—white, 28,870; colored, 36,295. b White, 12; colored, 18.